











# Compact Sounder

# Tone Table

TONE	TONE TYPE	TONE DESCRIPTION/ APPLICATION	S2	S3	JUMPER SETTINGS	SOUND LEVEL (dBA @ 1m)	AVERAGE CURRENT (mA)
1		970Hz (BS5839-1:2002)	4	5		86	9
2		800Hz/970Hz @ 2Hz (BS5839-1:2002)	1	3		85	9
3		800Hz – 970Hz @ 1Hz (BS5839-1:2002)	1	2		85	9
4		970Hz 1s OFF/1s ON (Apollo Fire Systems Alert Tone, BS5839-1:2002)	1	5		85	7
5		970Hz, 0.5s/ 630Hz, 0.5s (Apollo Fire Systems Alert Tone, BS5839-1:2002)	4	4		85	10
6		554Hz, 0.1s/ 440Hz, 0.4s (France - AFNOR NF S 32 001 )	1	4		86	11
7		500 - 1200Hz, 3.5s/ 0.5s OFF (Netherlands – NEN 2575:2000)	1	4		93	9
8		420Hz 0.625s ON/0.625s OFF (Australia AS2220 Alert tone)	9	1		85	8
9		500 - 1200Hz, 3.75s/ 0.25s OFF (Australia AS2220 Evacuation tone)	8	1		93	10
10		1200Hz – 500Hz @ 1Hz (DIN 33 404)	1	4		88	10